

Kjøretøy-ID



Kjøretøydata

Egenskap	Kjøretøydata
Chassisnummer	WBAWY31080L548603
Modellbetegnelse	X3 F25
Produksjonsdato	22.07.2011
Farge	BLACK SAPPHIRE METALLIC (475)
Betegnelse	LEDER NEVADA/SCHWARZ (LUSW)
Drift	AWD
Typenøkkel	WY31
Modell	X3 xDrive20d
Modell	X3 F25
Karosseri	SAV
Styring	L
Dører	5
Motorkode	N47D2001
Slagvolum	2,00
Ytelse	135

Serieutrustning

	Tekst
S520A	Fog lights
S548A	Kilometre speedo

Særutrustninger

	Tekst
S1CAA	Selection of COP-relevant vehicles
S1CCA	Auto start/stop function
S1CDA	Brake Energy Regeneration
S205A	Automatic transmission
S216A	Hydro steering-servotronic
S226A	Sports suspension settings
S230A	Extra package, EU-speciifc
S249A	Multifunction f steering wheel

	Tekst
S258A	Tyres with runflat properties
S2NEA	BMW LA wheel, M double spoke 369
S2PAA	Locking wheel bolt
S2VGA	Performance Control
S320A	Deleted, model lettering
P337A	M Sports package
S3AHA	Reversing camera and Top View
S3MCA	M roofrailing, Shadow Line
S402A	Panorama glass roof
S413A	Luggage compartment net
S420A	Sun protection glazing
S423A	Floor mats velours
S428A	Warning triangle and first aid kit
S430A	Interior/outside mirror with auto dip
S431A	Interior mirror with automatic-dip
S465A	Through-loading system
S481A	Sports seat
S493A	Storage compartment package
S494A	Seat heating driver/passenger
S4ADA	Interior trim strips, brushed aluminium
S502A	Headlight cleaning system
S508A	Park Distance Control (PDC)
S521A	Rain sensor
S522A	Xenon Light
S534A	Automatic air conditioning
S544A	Cruise control with brake function
S563A	Light package
S5DAA	Passenger airbag deactivation
S609A	Navigation system Professional
S614A	Internet preparation
S615A	Extended BMW Online Information
S676A	HiFi speaker system
S698A	Area-Code 2 for DVD
S6NFA	Music interface for Smartphone
S6NKA	Connection, Bluetooth and USB devices
S6NRA	Apps
S6UHA	Traffic Information
S6VCA	Control, Combox
S710A	M leather steering wheel
S715A	M Aerodynamics package
S760A	High gloss shadow line
S775A	Headlining anthracite
S842A	Cold-climate version
S843A	Power reduction
S853A	Language version, English
S885A	On-board literature, Swedish

	Tekst
S8KAA	Oil service interval 24 mths / 30,000 km
S8SMA	Car ident. number visible from outside
S8TGA	Thiefproofing device
S8TLA	Dummy-SALAPA
S8TNA	Daytime driv.lights adjus.via light menu
S8V2A	Information plate
S925A	Dummy-SALAPA

Påfyllingsmengder

Alle påfyllingsmengder er mengder som behøves ved skifte og angis i liter.

Bruk / område	Type	ltr
Typenøkkel	WY31	
Motor	N47N	5,20
Gir	GA8HP-45Z	8,50
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		9,00
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), Automatic transmission: lifetime oil filing

Bruk / område	Type	ltr
Typenøkkel	WY31	
Motor	N47N	5,20
Gir	GS6X-45DZ	1,20
Brems		1,00
Bakaksel		0,85
Påfyllingsmengde for kjølemiddel med klimaanlegg		8,70
Påfyllingsmengde for kjølemiddel uten klimaanlegg		0,00

Transfer box (0,6 l), final drive (front axel) (0,6 l), Final drive (rear axel), manual transmission: lifetime oil filing