

Aquatiq Chemistry AS  
Logistics  
Mr. Mårten Bergstøl  
Hovemoveien 1  
2624 LILLEHAMMER  
NORWEGEN

**Modified**

**Order confirmation: 111201062**

Page 1 / 4

Contact person Claudia Thielker  
Telephone +49-5731-753-231  
Email cT@denios.de

Date Mar 21, 2018  
Your order 117348

Customer Number 410929

Dear Mr. Bergstøl

Thank you for your order of 20.03.2018, which we confirm as follows:

Recipient of goods  
Statoil Petroleum AS  
Forskningssenter Rotvoll  
Arkitekt Ebbellsvei 10  
7053 RANHEIM  
NORWEGEN

| Pos. | Ident No. / Description | Qty. | Unit |
|------|-------------------------|------|------|
|------|-------------------------|------|------|

*You're getting special conditions on the product range of DENIOS.  
Please contact us for detailed information.*

|                                               |        |   |     |
|-----------------------------------------------|--------|---|-----|
| 0100                                          | 237000 | 3 | PCS |
| <b>System Container 2 P 814; non isolated</b> |        |   |     |

**DENIOS AG** · Dehmer Str. 58-66 · 32549 Bad Oeynhausen · Deutschland · [www.denios.de](http://www.denios.de)

Postfach 60 01 47  
32527 Bad Oeynhausen  
Tel.: +49 5731 753-0  
Fax: +49 5731 753-199  
E-Mail: [info@denios.de](mailto:info@denios.de)

Vorstand: Dipl.-Ing. Helmut Dännig (Vors.),  
Dipl.-Ing. Dipl.-Wirt.-Ing. Ulrich Lange, Horst Rose  
Aufsichtsratsvorsitzender: Dr. Daniel Gutting  
HR Bad Oeynhausen B 3092  
USt-Id.Nr. DE 811228331 Steuernr.: 335/5713/4741

Sparkasse Minden-Lübbecke:  
Sparkasse Bad Oeynhausen-Porta Westfalica:  
Deutsche Bank Bad Oeynhausen:  
Volksbank Bad Oeynhausen-Herford:

IBAN  
DE41 4905 0101 0040 0523 67  
DE24 4905 1295 0005 0044 29  
DE39 4907 0028 0213 2744 00  
DE52 4949 0070 0000 3543 00

BIC / SWIFT  
WELADED1MIN  
WELADED10EH  
DEUTDE33HAN  
GENODEM1HFV



Order no.  
111201062

Page  
2 / 4

Date  
Mar 21, 2018

| Pos. | Ident No. / Description | Qty. | Unit | Price | Amount |
|------|-------------------------|------|------|-------|--------|
|------|-------------------------|------|------|-------|--------|

### System description

System container according to German approval of the Construction Supervision Z-38.5-120

- Fork lift operated storage for dangerous materials (liquids hazardous to water of all water hazard classes)
- Frame construction out of sand blasted profiles according with statical requirements
- Assembly according to DIN EN 1090-2
- The sump is made of steel (S235JR Mat.No. 1.0038) sump according to DIN EN 10025, 5mm material thickness, corrosion protection minimum 5 years (corrosivity class C3-M according to DIN EN 12944, Part 1)
- Leakage inspection and approval by Denios leakage certificate according to EN ISO 3452-1
- Ground clearance of 100mm
- Solid foot plates for secure anchorage
- The storage spaces are made of hot-dip galvanised and removable flat grids, mesh size 40x30mm
- Delivered ready for operation, prepared for bottom attachment on suitable fundament
- Removeable crane eyes (roof area)
- Roof and wall cladding made of galvanised plus additionally painted trapezoidal steel sheets.
- All-round weather-protected air gap above the sump to ensure natural cross-ventilation



The mesh of the grid is 40x30mm

Container installation site Outside

|                  |                                   |
|------------------|-----------------------------------|
| Door version     | Sliding door; lockable            |
| Position of door | On the long side of the container |

### Surface of container

|                             |                       |
|-----------------------------|-----------------------|
| Paintwork outside           | RAL 5010 Gentian blue |
| Paintwork inside            | RAL 5010 Gentian blue |
| Paintwork door (both-sided) | RAL 5010 Gentian blue |
| Limination strength         | 80µm                  |

**DENIOS AG** · Dehmer Str. 58-66 · 32549 Bad Oeynhausen · Deutschland · [www.denios.de](http://www.denios.de)

Postfach 60 01 47  
32527 Bad Oeynhausen  
Tel.: +49 5731 753-0  
Fax: +49 5731 753-199  
E-Mail: [info@denios.de](mailto:info@denios.de)

Vorstand: Dipl.-Ing. Helmut Dennig (Vors.),  
Dipl.-Ing. Dipl.-Wirt.-Ing. Ulrich Lange, Horst Rose  
Aufsichtsratsvorsitzender: Dr. Daniel Gutting  
HR Bad Oeynhausen B 3092  
USt-Id.Nr. DE 811228331 Steuernr.: 335/5713/4741

Sparkasse Minden-Lübbecke:  
Sparkasse Bad Oeynhausen-Porta Westfalica:  
Deutsche Bank Bad Oeynhausen:  
Volksbank Bad Oeynhausen-Herford:

IBAN  
DE41 4905 0101 0040 0523 67  
DE24 4905 1285 0005 0044 29  
DE39 4907 0028 0213 2744 00  
DE52 4949 0070 0000 3543 00

BIC / SWIFT  
WELAED1MIN  
WELAED10EH  
DEUTDE33HAN  
GENODEM1HFV



Order no.  
111201062

Page  
3 / 4

Date  
Mar 21, 2018

| Pos. | Ident No. / Description | Qty. | Unit | Price | Amount |
|------|-------------------------|------|------|-------|--------|
|------|-------------------------|------|------|-------|--------|

**Measurements**

|                          | Outside excl.<br>Equipment | Outside incl. equipment | Transport dimensions |
|--------------------------|----------------------------|-------------------------|----------------------|
| Width (mm)               | 8.120                      | 8.120                   | 8.380                |
| Depth (mm)               | 1.710                      | 1.710                   | 1.710                |
| Height (mm)              | 3.065                      | 3.065                   | 3.065                |
| Clear door opening width | 2 x 3.800                  |                         |                      |
| Internal width (mm)      | 2 x 3.900                  |                         |                      |
| Internal depth           | 1 x 1.340                  |                         |                      |
| Internal height (mm)     | 2 x 1.250                  |                         |                      |

**Sump capacity**

|                     |       |       |
|---------------------|-------|-------|
| Capacity steel sump | 2.100 | Liter |
|---------------------|-------|-------|

**Weight**

|                                     |       |                   |
|-------------------------------------|-------|-------------------|
| Ground snow load Sk                 | 2,5   | kN/m <sup>2</sup> |
| Wind load q <sub>w,k</sub>          | 0,585 | kN/m <sup>2</sup> |
| Load capacity stock level           | 1.000 | kg/m <sup>2</sup> |
| Weight of container incl. equipment | 2.730 | kg                |

It is the clients responsibility to advise Denios if the advised snow and wind loads at time of quotation are correct for their region in accordance with DIN EN 1990:2010-12.  
If additional structural changes are required, Denios would be happy to review the design change if possible for an additional cost.

**Explosion protection**

|                                           |                       |            |
|-------------------------------------------|-----------------------|------------|
| Ex-protection area (operator declaration) | Inside                | Outside    |
|                                           | No Ex zone            | No Ex zone |
| Labeling container (acc. RL 2014/34/EU):  | Without ATEX labeling |            |

**General building authority approval for DIBT German Institute of construction, Berlin.**

Z.38.5-120

**DENIOS AG** Dehmer Str. 58-66 · 32549 Bad Oeynhausen · Deutschland · [www.denios.de](http://www.denios.de)

Postfach 60 01 47  
32527 Bad Oeynhausen  
Tel.: +49 5731 753-0  
Fax: +49 5731 753-199  
E-Mail: [info@denios.de](mailto:info@denios.de)

Vorstand: Dipl.-Ing. Helmut Dönnig (Vors.),  
Dipl.-Ing. Dipl.-Wirt.-Ing. Ulrich Lange, Horst Rose  
Aufsichtsratsvorsitzender: Dr. Daniel Gutting  
HR Bad Oeynhausen B 3092  
USt-Id.Nr. DE 811228331 Steuernr.: 335/5713/4741

Sparkasse Minden-Lübbecke:  
Sparkasse Bad Oeynhausen-Porta Westfalica:  
Deutsche Bank Bad Oeynhausen:  
Volksbank Bad Oeynhausen-Herford:

IBAN  
DE41 4905 0101 0040 0523 67  
DE24 4905 1285 0005 0044 29  
DE39 4907 0028 0213 2744 00  
DE52 4949 0070 0000 3543 00

BIC / SWIFT  
WELADED1MIN  
WELADED10EH  
DEUTDE33HAN  
GENODEM1HFV



**Delivery week**

**: 27/2018**

Terms of delivery : FCA Bad Oeynhausen acc. Incoterm 2010  
Terms of payment : Within 30 days Due net

Our terms and conditions for delivery and payment will apply. These can be found online at:

<http://www.denios.de/AGB/Kundenfertigung>

[https://www.denios.de/AGB/Montage\\_und\\_Wartungsbedingungen](https://www.denios.de/AGB/Montage_und_Wartungsbedingungen)

Sincerely,

DENIOS AG  
i.A. Claudia Thielker  
Sales Projects International

**DENIOS AG** Dehmer Str. 58-66 · 32549 Bad Oeynhausen · Deutschland · [www.denios.de](http://www.denios.de)

CSR Rating  
SUTS  
EXCEL EXCEL



Postfach 60 01 47  
32527 Bad Oeynhausen  
Tel.: +49 5731 753-0  
Fax: +49 5731 753-199  
E-Mail: [info@denios.de](mailto:info@denios.de)

Vorstand: Dipl.-Ing. Helmut Dennig (Vors.),  
Dipl.-Ing. Dipl.-Wirt.-Ing. Ulrich Lange, Horst Rose  
Aufsichtsratsvorsitzender: Dr. Daniel Gutting  
HR Bad Oeynhausen B 3092  
USt-Id.Nr. DE 811228331 Steuernr.: 335/5713/4741

Sparkasse Minden-Lübbecke:  
Sparkasse Bad Oeynhausen-Porta Westfalica:  
Deutsche Bank Bad Oeynhausen:  
Volksbank Bad Oeynhausen-Herford:

**IBAN**  
DE41 4905 0101 0040 0523 67  
DE24 4905 1285 0005 0044 29  
DE39 4907 0028 0213 2744 00  
DE52 4949 0070 0000 3543 00

**BIC / SWIFT**  
WELADED1MIN  
WELADED10EH  
DEUTDE33HAN  
GENODEM1HFV