



OFG 4065
Single Gas Fryer Over Bench With
Double Burner



OFG 7065
Double Gas Fryer Over Bench With
Double Burner

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Safety thermostat
- Monoblock frying tank
- Thermostatic regulation of oil temperature
- Natural Gas or LPG Compatible
- Drain pipe with push and turn safety mechanism

- Piezo ignition
- Pilot light
- Safety gas valve with thermocouple
- Hygienic
- French fries production capacity:
4065...14kg/hr
7065...14+14 kg/hr
- Frying time 3,5 minutes

Gas Fryers Over Bench

	TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	CAP.	WEI.	m³	PRICE
	OFG 7065 gas.fry.	7856.80653.14	GAS Sec. Ventil	800	650	300	4x3.5=14 kW	110° - 190°	12 lt. + 12 lt.	32 kg.	0.3 m³	
	OFG 4065 gas.fry.	7856.40653.04	GAS Sec. Ventil	400	650	300	2x3.5=7 kW	110° - 190°	12 lt.	20 kg.	0.19 m³	



OFA 4065
Single Electric Fryer Over Bench



OFA 7065
Double Electric Fryer Over Bench

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Monoblock frying tank
- Thermostatic regulation of oil temperature
- Safety thermostat

- Safety switch
- Drain pipe with push and turn safety mechanism
- Hygienic
- French fries production capacity:
4065...14kg/hr
7065...14+14 kg/hr
- Frying time 3 minutes

Electrical Fryers With Lift Up Heating Elements

	TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	CAP.	VOL.	WEI.	m³	PRICE
	OFA 7065 elec.fry.	7856.70653.21	ELEC	700	650	300	14.5 kW	60° - 190°	8 lt. + 8 lt.	400V / 50Hz.	27 kg.	0.29 m³	
	OFA 4065 elec.fry.	7856.40653.11	ELEC	400	650	300	7.2 kW	60° - 190°	8 lt.	400V / 50Hz.	17 kg.	0.19 m³	



OMF 4065    
Electric Pasta Cooker Over Bench

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Monoblock water basin with a capacity of 20L
- Water inlet tap
- Heat up (20-100°C) 18 min
- Production capacity 13kg/hr
- Cooking time 5-10 min

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	CAP.	WEI.	m ³	PRICE
 OMF 4065 pas.cook.	7858.40653.11	ELEC	400	650	300	5.5 kW	110°	400V / 50Hz.	20 lt.	19 kg.	0.19 m ³	

- Stainless steel external panels
- Ergonomic design
- Easy to clean
- Adjustable legs
- Porcelain heating element



OPD 4065    
Electric French Fry Warmer Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OPD 4065 hea.chip./pat.din.	7831.40653.01	ELEC	400	650	300	1 kW	65°	220V-240V / 50Hz.	15 kg.	0.19 m ³	



OGPG 4065 PS
Single Gas Grill Plate Over Bench




OGPG 7065 1/2 N PS
Double Gas Grill Plate Over Bench

- Even heat distribution on the cooking surface
- Piezo ignition
- Removable fat collection drawer
- Heat up (20-200°C) 12 min
- Cooking area:
 - 4065...19 dm²
 - 7065...34 dm²
- Hamburger production capacity (Meat Ø100):
 - 4065...12 kg/hr
 - 7065...24 kg/hr
- Cooking time 6 minutes
- Optional hard chrome coated cooking surface

- Stainless steel external panels
- Natural Gas or LPG compatible
- Choice of cooking surface: Smooth ,half ribbed or fully ribbed versions are available
- Pilot light
- Easy to clean
- Adjustable legs
- Thermostatic temperature control between 100-300°C
- High performance
- Independently controlled cooking zones with two gas valves

	TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	 m³	PRICE
Double Grill Plate Over Bench (Groove)											
	OGPG 7065 N PS dou.gr.pl	7864.70653.13	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	 PLATE 39.5 x 48.5 cm.  PLATE 69.5 x 48.5 cm.
	OGPG 7065 N PS dou.gr.pl	7864.70653.13C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	
Double Grill Pl. Ov. B. (SmoothGroove)											
	OGPG 7065 1/2N PS dou.gr.pl	7864.70653.16	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	 Hard chrome coated  Hard chrome coated
	OGPG 7065 1/2N PS dou.gr.pl	7864.70653.16C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	
Double Grill Plate Over Bench (Smooth)											
	OGPG 7065 PS dou.gr.pl	7864.70653.19	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	 Hard chrome coated  Hard chrome coated
	OGPG 7065 PS dou.gr.pl	7864.70653.19C	GAS Sec. Ventil	700	650	300	2x6=12 kW	100° - 300°	47 kg.	0.29 m³	
Single Grill Plate Over Bench (Groove)											
	OGPG 4065 N PS sin.gr.pl	7864.40653.03	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	 Hard chrome coated  Hard chrome coated
	OGPG 4065 N PS sin.gr.pl	7864.40653.03C	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	
Single Grill Plate Over Bench											
	OGPG 4065 PS sin.gr.pl	7864.40653.06	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	 Hard chrome coated  Hard chrome coated
	OGPG 4065 PS sin.gr.pl	7864.40653.06C	GAS Sec. Ventil	400	650	300	6 kW	100° - 300°	29 kg.	0.19 m³	





OGP 7065 1/2 N 
Double Electric Grill Plate Over Bench




OGP 4065
Single Electric Grill Plate Over Bench

- Even heat distribution on the cooking surface
- Removable fat collection drawer
- Heat up (20-200°C) 12 min
- Cooking area:
 - 4065...19dm²
 - 7065...34dm²
- Hamburger production capacity (Meat Ø100):
 - 4065...12kg/hr
 - 7065...24kg/hr
- Cooking time 6 minutes
- Optional hard chrome coated cooking surface
- Stainless steel external panels
- Choice of cooking surface: Smooth, half ribbed or fully ribbed versions are available
- Easy to clean
- Adjustable legs
- Thermostatic temperature control between 50-300°C
- High performance
- Independently controlled cooking zones

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
Double Grill Plate Over Bench (Groove)											
 OGP 7065 N	7864.70653.11	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
 OGP 7065 N C	7864.70653.11C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
Double Grill Pl. Ov. B. (SmoothGroove)											
 OGP 70651/2N	7864.70653.14	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
 OGP 70651/2N C	7864.70653.14C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
Double Grill Plate Over Bench (Smooth)											
 OGP 7065	7864.70653.17	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
 OGP 7065 C	7864.70653.17C	ELEC	700	650	300	7.5 kW	50° - 300°	400V / 50Hz.	45 kg.	0.29 m ³	
Single Grill Plate Over Bench (Groove)											
 OGP 4065 N	7864.40653.01	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³	
 OGP 4065 N C	7864.40653.01C	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³	
Single Grill Plate Over Bench											
 OGP 4065	7864.40653.04	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³	
 OGP 4065 C	7864.40653.04C	ELEC	400	650	300	4.5 kW	50° - 300°	400V / 50Hz.	28 kg.	0.19 m ³	

 PLATE 39.5 x 48.5 cm.
 PLATE 69.5 x 48.5 cm.

  Hard chrome coated

  Hard chrome coated

  Hard chrome coated

  Hard chrome coated

  Hard chrome coated



OSOG 4065 PS
Gas Cooker With Two Burners Over Bench



OSOG 6065 PS
Gas Cooker With Four Burners Over Bench



- Stainless steel external panels
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Pilot light
- Easy to clean
- Adjustable legs
- Piezo ignition
- Ergonomic design
- Aluminium burners

Cooker With Four Burner Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m³	PRICE
OSOG 6065 PS four.burn.	7865.60653.25	GAS Sec. Ventil	600	650	300	2x3.8+2x3=13.6 kW	26 kg.	0.29 m³	

Cooker With Double Burner Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m³	PRICE
OSOG 4065 PS dou.burn.	7865.40653.23	GAS Sec. Ventil	400	650	300	3+3.8=6.8 kW	20 kg.	0.19 m³	



OSOG 8065 P
Gas Cooker With Four Burners Over Bench



OSOG 4065 P
Gas Cooker With Two Burners Over Bench

- Stainless steel external panels
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Pilot light
- Easy to clean
- Adjustable legs
- Piezo ignition
- Ergonomic design
- Cast iron burners

Gas Cooker

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	m³	PRICE
OSOG 8065 P gas.cook.	7865.80653.35	GAS Sec. Ventil	800	650	300	4x4=16 kW	44 kg.	0.33 m³	
OSOG 4065 P gas.cook.	7865.40653.33	GAS Sec. Ventil	400	650	300	2x4=8 kW	25 kg.	0.19 m³	



OSO 6065


Electric Cooker With Four Hot Plates Over Bench

- Stainless steel external panels
- Easy to clean
- Hygienic
- Cast iron heating element
- Temperature control with 6 position selector switch
- Adjustable legs
- Ergonomic design




OSO 4065

Electrical Cooker With Double Hot Plates Over Bench



OIN 4065

Induction Cooker



OIN 8065

Induction Cooker

Cooker With Four Hot Plates Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OSO 6065 four.plt./dort.oc.	7865.60653.14	ELEC.	600	650	300	4x2.6=10.4 kW	450°	400V. / 50Hz.	29 kg.	0.29 m ³	



4x2.6 (Ø 22 cm)=10.4 kW

Cooker With Double Hot Plates Over Bench

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OSO 4065 dou.plt./iki.ocak.	7865.40653.12	ELEC.	400	650	300	2x2.6=5.2 kW	450°	400V. / 50Hz.	16 kg.	0.19 m ³	



2x2.6 (Ø 22 cm)=5.2 kW

Induction Cooker

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	VOL.	WEI.	m ³	PRICE
 OIN 4065	7865.40653.IN	ELEC.	400	650	300	3.5 kW	30 - 260 °C	220-240V. / 50Hz.	-	0.21 m ³	
 OIN 8065	7865.80653.IN	ELEC.	800	650	300	2x3.5 kW	30 - 260 °C	400V. / 50Hz.	-	0.38 m ³	



1 x 3.5 kW



2 x 3.5 kW



OLIG 4065 PA   1009 
Gas Lavastone Grill Over Bench



OLIG 7065 PA   1009 
Gas Lavastone Grill Over Bench



Standart 'V' Type

- Stainless steel external panels
- Easy to clean
- Hygienic
- Safety gas valve with thermocouple
- Natural Gas or LPG compatible
- Adjustable legs
- Piezo ignition
- Pilot light
- Ergonomic design
- Removable fat collection drawer
- Height adjustable and removable "V" shaped stainless steel grates
- Optional hinged grate to prevent fat dripping and flare-ups







Optional: Avoid flame by optional hinged fat flame stopper!

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	 m³	PRICE
 OLIG 7065 PA lav.grill.	7864.70653.20	GAS Sec. Ventil	700	650	300	2x7=14 kW	54 kg.	0.29 m³	
 OLIG 4065 PA lav.grill.	7864.40653.12	GAS Sec. Ventil	400	650	300	7 kW	29 kg.	0.19 m³	



ODIG 6065   CE-1783
Chargrill

- Stainless steel external panels
- Easy to clean
- Hygienic
- Heavy duty
- Natural Gas or LPG compatible
- Water tray to prevent smell
- Pilot light
- Safety gas valve with thermocouple
- Easy to clean grill surface
- Cast iron protection over each burner
- Optional cooking grid with round rods



TYPE	CODE	MODEL	Dimension (mm)			Power (kW)	Gas Consumption m ³ /h	Gas Inlet Con.	PRICE
			L	W	H				
ODIG 6065	7864.60653.70	GAS	600	650	370	16	2.12	1/2 "	
ODIG 6075	7864.60753.70	GAS	600	750	370	20	2.12	1/2 "	
ODIG 8075	7864.80753.70	GAS	800	750	400	25	2.65	3/4 "	
ODIG 9090	7864.90902.70	GAS	900	900	450	30	3.18	3/4 "	
ODIG 12090	7864.12902.70	GAS	1200	900	450	40	4.24	3/4 "	



OKTEI 60     
Indirect Boiling Pan

Monoblock Bowl



- Indirect heating systems
- Round monoblock boiling pan
- Lid with counter balanced mechanism for easy opening
- High quality thermal insulation of the pan for energy saving
- Energy regulation through a control knob on the front panel
- Draining valve on the front
- Safety valve with manometer to avoid overpressure of the steam in the jacket
- External valve to evacuate manually excess air accumulated in the jacket during heating phase.
- Heating elements fitted inside the jacket cavity base with safety thermostat

TYPE	CODE	MODEL	L	W	H	POWER	VOL.	CAP.	WEI.	 m³	PRICE
 OKTEI 60 indirekt	7855.07065.01	ELEC.	700	650	850	9 kW	400V / 50Hz.	60 lt.	84 kg.	0.78 m³	

Hilton - Abu Dhabi




OFOG 7065 P   1009 
Gas Range With Oven



OFOG 8065 P   1009 
Gas Range With Oven

- Stainless steel body
- Safety gas valve with thermocouple
- Easy to clean
- Hygienic
- GN 1/1 oven size
- Available for LPG or Natural Gas
- Long life
- Heavy duty top cast iron
- Oven thermostat adjustment from 100°C to 300°C
- Oven shelves are removable
- Pilot flame
- Ergonomic design
- Isolated oven
- Removable wire tray size GN 1/1

!Gas ranges can be used both with electrical and gas oven.




Oven Dimension GN 1/1

TYPE	CODE	MODEL	L	W	H	BURNER kW	OVEN kW	POWER	WEI.	 m ³	PRICE
 OFOG 7065 P range	7865.07658.00	GAS Sec.Ventil	700	650	850	2x3+2x3.8	5	18.6 kW	71 kg.	0.69 m ³	
 OFOG 8065 P range	7865.08658.10	GAS Sec.Ventil	800	650	850	4x4	5	21 kW	105 kg.	0.77 m ³	





OFO 7065 14.4    
Electrical Range



!Electrical ranges can be used both with gas and electrical oven.

- Stainless steel body
- Easy to clean
- Hygienic
- GN 1/1 oven size
- Cast iron heating element
- 6 position switch to control resistance
- Adjustable legs
- Long life
- Oven thermostat adjustment from 50°C to 300°C
- Oven top resistance can be operated together separately
- Oven shelves are removable
- Ergonomic design
- Isolated oven
- Removable wire tray size GN 1/1


4x2,6(Ø 22 cm)+4(OvenFrm)= 14,4 kW

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	IN.VOL.	 m ³	PRICE
 OFO 7065 14.4 range	7865.07658.02	ELEC	700	650	850	4x2.6=14.4 kW	450°	73 kg.	400V / 50Hz.	0.69 m ³	



OSBG 7065
Gas Sauce Bain-Marie Over Bench



OSBG 4065
Gas Sauce Bain-Marie Over Bench




OSB 4065
Electrical Sauce Bain-Marie




OSB 7065
Electrical Sauce Bain-Marie Over Bench

- Easy to clean
- Stainless Steel body
- Hygienic
- Stainless Steel burner(for gas models)
- Piezoelectric ignition(for gas models)
- Safety gas valve with thermocouple (for gas models)
- Available for LPG or Natural Gas (for gas models)
- Ergonomic design
- Adjustable legs
- Long life
- All models are supplied with water drainage



OSB 4065
OSBG 4065



OSB 7065
OSBG 7065

TYPE	CODE	MODEL	L	W	H	POWER	WEI.	 m³	PRICE
Sauce Bain Marie Over Bench									
 OSBG 7065 sauc.bain.	7854.70653.13	GAS Sec. Ventil	700	650	300	2.5 kW	33 kg.	0.29 m³	
Sauce Bain Marie Over Bench									
 OSBG 4065 sauc.bain.	7854.40653.13	GAS Sec. Ventil	400	650	300	1.5 kW	19 kg.	0.19 m³	

TYPE	CODE	MODEL	L	W	H	POWER	TEMP.	WEI.	VOL.	 m³	PRICE
Sauce Bain Marie Over Bench											
 OSB 7065 sauc.bain.	7854.70653.11	ELEC	700	650	300	2 kW	30 - 90°	32 kg.	220V-240V/50Hz.	0.29 m³	
Sauce Bain Marie Over Bench											
 OSB 4065 sauc.bain.	7854.40653.11	ELEC	400	650	300	1 kW	30 - 90°	18 kg.	220V-240V/50Hz.	0.19 m³	



OAT 7065
Working Bench

- Stainless steel body
- Ergonomic design
- Hygienic
- Long life
- Adjustable legs



OAT 4065
Working Bench

TYPE	CODE	L	W	H	WEI.	m ³	PRICE
OAT 7065 Work Bench/Ara tezgah	7911.70653.00	700	650	300	14 kg.	0.29 m ³	
OAT 4065 Work Bench/Ara tezgah	7911.40653.00	400	650	300	9 kg.	0.19 m ³	

Counter Type Cold Units

- Stainless steel body
- Ergonomic design
- Hygienic
- Long life
- Adjustable legs



1420x600x600
2400x600x600

Standart Counter Type Refrigerators With Door For Cooking Lines

TYPE	CODE	MODEL	L	W	H	Capacity	Refrigeration Temp.	Total Power	IN.VOL.	WEI.	m ³	PRICE
CTA 260.01 NTS	7919.26NTS.C1	ELEC.	600	1420	600	101 lt.	-2 / +8 °C	0.51 kW	220V./50Hz.	80 kg.	0.89 m ³	
CTA 460.01 NTS	7919.36NTS.C1	ELEC.	600	1880	600	160 lt.	-2 / +8 °C	0.40 kW	220V./50Hz.	112 kg.	1.19 m ³	

NTS: Static refrigeration at regular temperature.



400x600x550mm

600x600x550mm
700x600x550mm
800x600x550mm

Underneath Cupboards

CODE	L	W	H	WEI.	m ³	PRICE
7876.40605.00	400	600	550	11 kg.	0.21 m ³	
7876.60605.00	600	600	550	14 kg.	0.30 m ³	
7876.70605.00	700	600	550	16 kg.	0.35 m ³	
7876.80605.00	800	600	550	17 kg.	0.39 m ³	


Underneath Benches



400x580x550 mm

600x580x550 mm
700x580x550 mm
800x580x550 mm

CODE	L	W	H	WEI.	m ³	PRICE
7876.40605.10	400	580	550	8 kg.	0.21 m ³	
7876.60605.10	600	580	550	11 kg.	0.30 m ³	
7876.70605.10	700	580	550	13 kg.	0.35 m ³	
7876.80605.10	800	580	550	15 kg.	0.39 m ³	



* 2 pieces are necessary for one appliance.

** Avoid flame by optional hinged fat flame stopper.

Patented

TYPE	CODE	APPLIANCE	PRICE
1- BASKET	6260.00072.31	Gas fryer	
2- BASKET	6260.00072.19	Elec. fryer	
3- BASKET	0339.01313.01	Elec. pasta cooker	
4- SEPET	0339.02808.01	Elec. pasta cooker	
5- OIL TANK FILTER	6260.00072.12	Gas fryer	
6- OIL TANK FILTER	6260.00072.13	Elec. fryer	
7- FLAME REDUCER	2865.00009.01	Gas range	
8- SHELF	6019.00005.27	Elec. and gas range	
9- JOIN PART	7380.59527.80	Appliances	
10- GRILL	2864.65400.IZ for 4065	Lavastone grill	
10- GRILL	2864.65700.IZ for 7065	Lavastone grill	
11- BASKET	0339.00013.01	Elec. pasta cooker	
** 12- GRILL	2864.65401.IZ for 4075	Hinged fat flame stopper	
** 12- GRILL	2864.65701.IZ for 8075	Hinged fat flame stopper	